EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N°	0075/797/162/07/18/1422
Issued by CTC, Notified Bo	ody N°0075, to the following model of personal protective equipment :
Manufacturer :	Honeywell safety products Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX France
Description	Trance
PPE Type :	protective glove against mechanical risks, chemical risks, microorganisms risks
Product reference :	20 953 01
Glove description :	5 fingers nitrile glove. No supported, Diamond finishing, total length 33 cm
Available sizes :	07 08 09 10 11
Pictures :	Honeywell PowerCoat ® 20 953 01 XX Image: Display the image of th

Reference standard :

Levels of performance / class of protection

EN 420:2003+A1:2009

EN 388:2016

The levels of performance have been measured on the palm

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material. MICRO-ORGANISMS

4101X

EN ISO 374-5:2016 EN ISO 374-1:2016

SO 374-1:2016 Type A AJKLMNOT

This product is a category III (letal or irreversible risk). This certificate shall only be used in conjuncture with the conformity assessment procedure according to module C2 (CTC de Iyon 0075)

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from June 2018


NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by Lionel Gaudillere PPE certification manager

MARKING

TIFIED BOD

n° 0075





www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC. Honeywell safety products

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	20 953 01
Article code	:	
Technical file index	:	01
Last update	:	June 2018

IDENTIFICATION

Reference of the product : Article code :	:	20 953 01
Basic Model		
Technical file index :	:	01
Last update :	:	June 2018

Manufacturer :

Honeywell safety products

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

tel : 01.49.90.79.79 fax : 01.49.90.79.80

Factory :

RUBBEREX (M) SDN BHD EUR

LOT 138201 OFF 3/4 MILE JALAN 31400 IPOH, PERAK

Malaisie tel: 006055482723 fax: 006055482726

Usine : Filrex Malaysia SDN Bhd LOT 21251, off 3/4 miles, Jalan Bercham, 31400 ipoh, Perak Malaysia tel: fax:

GLOVE DESCRIPTION

General glove description :

5 fingers nitrile glove. No supported, Diamond finishing, total length 33 cm

type of coating finish : no coating

Visual description (picture back and palm sides) :



Field of use

mechanical, chemical

Mechanical and chemical resistance to a large range of products (oils, detergents and many solvents). Food preparation of greasy products, production of paints, varnishes.

	Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by		
§1	Requirements defined in the Annex II §1 are applicable to all PPE	7	 ✓ Standard ✓ Instruction for use ✓ Marking 		
§1.4	Manufacturer's instructions and information is available	7	Standard Instruction for use Marking		
§2.5	PPE which may be caught up during use	7	Standard Instruction for use Marking		
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	7	 Standard Instruction for use Marking 		
§2.14	Multi-risk PPE	7	 Standard Instruction for use Marking 		
§3.3	The PPE is intended to protect against mechanical injuries	7	 Standard Instruction for use Marking 		
§3.10.2	PPE intended to protect against substances and mixtures which are hazardous to health and against harmful biological agents - Cutaneous contact	>	✓ Standard ✓ Instruction for use ✓ Marking		

Available sizes :

Minimum length of glove (mm) Minimum width of glove (mm)	Sizes
330 100	07
330 107	08
330 110	09
330 115	10
330 119	11

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	2930111	green	ntitrile			0,4 mm
Back	2930111	green	ntitrile			0,4 mm
Lining	2923002	natural	cotton flocked			
Cuff	2930111	green	ntitrile			0,4 mm

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for mechanical risks, chemical risks, microorganisms risks.

It is a category III product, module C2 Notified Body Reference : CTC (0

CTC (0075) Parc scientifique Tony Garnier, 4 rue Hermann Frankel -69367 Lyon - France

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5 Size : conform At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	0
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	Х
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Chemical hazard EN ISO 374-1 : 2016

Type : Type A				
Tested chemical :	CAS N°	Letter	Permeation performance levels:	Degradation value:
Methanol	67-56-1	А	2	55,8%
n-Heptane	142-82-5	J	6	-22,7%
Sodium hydroxide 40%	1310-73-2	К	6	-19,3%
Sulphuric acid 96%	7664-93-9	L	3	58,9%
Nitric acid 65%	7697-37-2	М	2	80,7%
Acetic acid 99%	64-19-7	Ν	3	55,8%
Other tested chemical :	CAS N°	Letter	Permeation performance levels:	Degradation value:
ammonia 25%	1336-21-6	0	3	-25,9%
Formaldehyde 37%	50-00-0	Т	3	-32,9%

Microorganism EN ISO 374-5 : 2016

This glove protect against microorganism Uncontrolled against viruses

TEST REPORTS					
Laboratory	CTC	Other			
EN 420 + innocuousness	L170815742_1 L170815743_1 1202-2175/1				
EN 388	L170815742_1 L170508945 _1				
EN 374-2	L170815742_1				
EN 16523-1	L160609699_1 L160712925_1 L161221433_1				
Other	L170815743_1				

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer : Logo (Glove's reference : 20 953 01 Article Code : Size indicator Pictograms related to risks against which protection is offered with performance levels Information pictogram Address of Manufacturer : Date of Manufacture (month/year) and/or Serial number :

Marking example :

Honeywell	Address: HONEYWELL SAFETY PRODUCTS EUROPE
PowerCoat ®	33 Rue des Vanesses
20 953 01 XX	95 958 ROISSY CDG CEDEX France
EN 180 374-1 TVDE A EN 180 374-1 TVDE A AJKLMNOT	Address has to be printed on back side of the gloves or on a label inside the gloves.

Method of marking on the glove :

ink jet

Packaging :

10 pairs per bundle, 10 bundles per box

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity :

Available on : www.honeywellsafety.com

MEANS OF CONTROL

Sampling Plan		Quantity of acceptable defects		
Lot Quantity	Sample Quantity	Minor Defects	Major Defects	
110 to 200	D 8	2	0	
201 to 500	F 20	5	1	
501 to 1200	G 30	7	1	
1201 to 10000	J 80	14	3	
10000	K 125	21	5	

Final Inspection : in accordance to ISO 2859 level 2. Major defects : NQA = 0,65 / Minor defects : NQA = 0,65.