



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N°**                    **0075/797/162/02/19/0553**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :**                    **HONEYWELL SAFETY PRODUCTS EUROPE**  
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958  
France

## Description

**PPE Type :**                            **protective glove against mechanical risks**

**Product reference :**                **23 187 67**

**Glove description :**                **Knitted glove with Polyethylene high tenacity / lycra yarns. PU coating in grey color, on the palm an grey nitrile -reinforcement between the thumb and the fingers;. Blue elastic wrist 60mm + overlock:T06-green, T07-red, T08-blue, T09-yellow, T10-white, T11 orange**

**Available sizes :**                    **06 07 08 09 10 11**

**Pictures :**



**Address:**  
HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison ZI-Paris Nord II  
33 Rue des Vanesses  
95 958 ROISSY CDG CEDEX  
France

Address has to be printed on back side of the gloves or on a label inside the gloves.

**Reference standard :**

**Levels of performance / class of protection**

**EN 420:2003+A1:2009**

-

**EN 388:2016**

**4 X 4 2 B**

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REAcH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from February 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

**Issued in Lyon by**  
**Lionel GAUDILLERE**  
PPE Certification Manager

**Date of first issue :** 20 February 2019  
**End of validity date :** 20 February 2024



Original CTC



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

## HONEYWELL SAFETY PRODUCTS EUROPE

# **MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425**

<b>Reference of the product</b>	:	<b>23 187 67</b>
<b>Article code</b>	:	
<b>Technical file index</b>	:	<b>01</b>
<b>Last update</b>	:	<b>February 2019</b>

## IDENTIFICATION

Reference of the product : : 23 187 67  
Article code : :  
Basic Model : :  
Technical file index : : 01  
Last update : : February 2019

### **Manufacturer :**

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG  
CEDEX

France

tel : 01.49.90.79.79

fax : 01.49.90.79.80

### **Factory :**

HONEYWELL SAFETY PRODUCTS (NANTONG) CO., LTD.

North of Yalujiang Road, Rudong Economic Development Zone, Rudong, Nantong

China

tel:

fax:

## GLOVE DESCRIPTION

### General glove description :

Knitted glove with Polyethylene high tenacity / lycra yarns. PU coating in grey color, on the palm an grey nitrile -reinforcement between the thumb and the fingers;. Blue elastic wrist 60mm + overlock:T06-green, T07-red, T08-blue, T09-yellow, T10-white, T11 orange

type of coating finish : smooth

### Visual description (picture back and palm sides) :



### Field of use

mechanical

Industry:Automotive and Part Manufacturer, Aviation,Building and Construction,Catering,Energy,Glass Industries, Logistics,Maintenance,Metal steel,Paper Industries,Services,Telecoms,Transportation,Utilities

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

## Available sizes :

Minimum length of glove (mm)	Sizes
230	06
240	07
260	08
270	09
275	10
280	11

## Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	2915202	Natural	88% Polyethylene high tenacity/12%lycra		13	
	2916143	Grey	PU			1,1mm
	3000144	Grey	Nitrile -reinforcement between the thumb and the fingers;			
Back	2915202	Natural	88% Polyethylene high tenacity/12%lycra		13	
Cuff	2915202	Natural	88% Polyethylene high tenacity/12%lycra		13	
	3000018	Blue	elastic rubber		13	
Binding	2915151	green/ red/ blue/ yellow/ white/ orange	PES			

## **PROTECTION SCOPE**

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for against mechanical risks.

It is a category II product.

## GENERAL REQUIREMENTS

### Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5  
 Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

### Mechanical hazard EN 388 : 2016

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	X
Tear strength resistance	4
Puncture resistance	2
Cut Resistance method (EN ISO 13997)	B
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

## TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	L151016615_1 L151016616_1 L151219369_1 L190101558_1	
EN 388	L151016615_1 L160100138_1	
Other	L150609368_1 L151016616_1 L151016589 L160508559_1 L171122058_1	

## MARKING - PACKAGING

### Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : 23 187 67

Article Code :

Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

### Marking example :



### Method of marking on the glove :

on the label inside

### Packaging :

10 pairs per bundle, 10 bundles per box

### PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

### Declaration of conformity :

Available on : <https://doc.honeywellsafety.com>

## MEANS OF CONTROL

	PU gloves	NBR/latex gloves	knitted gloves
abrasion	1/day	1/day	1/week
cut	1/batch	1/batch	1/week
tear	1/batch	1/batch	1/week
puncture	1/batch	1/batch	1/week
DMF	1/week(per line)		